

ELECOM NEW PRODUCT in SEP

2008 NO.133 -01

N.C.

持ち歩いて、使うことが楽しくなる、女性にぴったりのUSBメモリ! リップグロスのようにおしゃれな "LUIRE (ルイーレ)シリーズ"。

USBフラッシュメモリ "LUIRE (ルイーレ)"

MF-NWU2 series

^{発 売} 発売中



パスワード自動認証機能の登録も簡単!

最初にパスワードを設定し、接続中のパソコンをパスワード の自動認証機能に登録するだけで利用できます

- あらかじめ登録したパソコンでは、パスワード入力作業が不要なパスワード自動認証機能 付きセキュリティソフト「PASS (Password Authentication Security System)」を装備
- ●3台までのパソコンを登録可能(その他のパソコンでは、パスワード入力を行う ことでデータの読み書きが可能)
- 未登録のパソコンに接続したときは、パスワード入力を要求し、盗難や紛失時の データ漏えいを防止
- ストラップホールを装備し、紛失防止のためにお好みのストラップを装着可能※1
- 使用時に紛失しやすいキャップを本体後部に取り付け可能な「キャップ紛失防止機能」付き
- ソフトウェアはインストールなどの作業は一切不要なうえ、初心者にもわかりやすい簡単設計
- Mac OS X (10.4/10.5)にも対応し、WindowsとMacintoshの間でデータのやり取りが可能 ※2 ※1. ストラップは付属しておりません

※2. セキュリティソフトのMacintoshへの対応は、Mac OS X (10.4)となります

- 対応機種:USB2.0/1.1インターフェイスを装備し、Windows Vista °/XP/2000 (SP4) /Meが動作する WindowsパソコンおよびMac OS X (10.4/10.5)が動作するMacintoshパソコン
- インターフェイス:USB2.0/1.1 電源:バスパワー接続
- セキュリティ機能:PASS (Password Authentication Security System)
- W73. 0 × D17. 0 × H10. 0mm ■ 質量:約9g





IUIRF



USBフラッシュメモ	USBフラッシュメモリ "LUIRE" 🗸	
品 番	価 格	J A N
MF-NWU204GPN2	オープン価格	4953103207615
MF-NWU208GPN2	オープン価格	4953103207646



USBフラッシュメモ	リ "LUIRE" キャ	ンディピンク
品 番	価格	J A N
MF-NWU204GPN3	オープン価格	4953103207622
MF-NWU208GPN3	オープン価格	4953103207653

持ち歩いて、使うことが楽しくなる、女性にぴったりのUSBメモリ! かわいいステーショナリーのような "Stylo(スティロ) シリーズ

USBフラッシュメモリ "Stylo (スティロ)"

MF-AWU2 series

^{発 売} 発売中

- 付属のセキュリティソフトを使ってパスワードによるデータへのアクセス制限が可能
- パスワードを解除しないメモリ上のデータを読み書きできないため紛失時など のデータ盗難のリスクを軽減
- パソコンが本製品を認識中およびデータ転送時には本体表面のLEDが点滅す るので、アクセス状況の確認が可能
- メモリ容量を分割して2つのリムーバブルメディアとして使用可能な「パーティ ション機能」を装備
- 2つに分割したメモリ容量の一方だけに、パスワードによるセキュリティ機能を 付与することが可能
- 使用時に紛失しやすいキャップを本体後部に取り付け可能な「キャップ紛失 防止機能」付き
- ストラップホールを装備し、紛失防止のためにお好みのストラップを装着可能※ ※ ストラップは付属しておりません

- 対応機種 USB2, 0/1, 1インターフェイスを装備し、Windows Vista °/XP/2000 (SP4) /Meが 動作するWindowsパソコン
- -フェイス:USB2.0/1.1 ■電源:バスパワー接続
- セキュリティ機能:パスワードロック機能
- W67. 0 × D17. 6 × H9. 9mm ■ 質量:約9g



USBフラッシュメ	Eリ"Stylo" ネイ	゚゙ビーブルー
品 番	価 格	J A N
MF-AWU204GBU	オープン価格	4953103207547
MF-AWU208GBU	オープン価格	4953103207578

Stylo HASH MEMORY



USBフラッシュメモリ "Stylo"		ピンク
品 番	価 格	J A N
MF-AWU204GPN	オープン価格	4953103207554
MF-AWU208GPN	オープン価格	4953103207585



USBフラッシュメモ	Eリ "Stylo"	ホワイト
品 番	価 格	J A N
MF-AWU204GWH	オープン価格	4953103207561
MF-AWU208GWH	オープン価格	4953103207592

スタイリッシュなデザインで人気のUSBメモリ "U. STYLEシリーズ" SMARTとCUTEの2タイプに大容量の8GBモデルが登場。

USBフラッシュメモリ "U. STYLE"

- ●たっぷりのデータを保存して持ち運べる8GBモデル
- ストラップホールを装備し、紛失防止のためにお好みのストラップを装着可能※
- 使用時に紛失しやすいキャップを本体後部に取り付け可能な「キャップ紛失防止機能」付き
- パソコンのUSBコネクタに差し込むだけで、すぐに使用可能
- パソコンが本製品を認識中およびデータ転送時には本体表面の LEDが点滅しますので、アクセス状況の確認が可能

※ ストラップは付属しておりません

「仕様]

- 対応機種 USB2.0/1.1インターフェイスを装備し、Windows Vista °/XP/2000 (SP4) が動作する WindowsパソコンおよびMac OS X (10.4/10.5以降)が動作するMacintoshパソコン -フェイス:USB2.0/1.1※ ■ 質量:約10g

※USB2.0でご使用になるにはパソコンのUSBポートがUSB2.0に対応している必要があります。 ハイスピードモードを含むUSB2.0に対応するのは、Windows *XP(SP1~3)/2000(SP4)です。その他では、USB1.1の転送速度になります

SMART

MF-BU208GWH

〈ホワイト〉





■ W71 5×D18 5×H8 5mm



U.STYLE

MF-LU208GWH

〈ホワイト〉





■ W79 4×D19 5×H10 0mm





FLECOM NEW PRODUCT in SEP

ELECOM

2008 NO.133 -02

个防水

水に濡れても大丈夫は「防水仕様」」防水仕様の携帯電話とのペアに最適。

- メモリカードの交換時などにうっかり水に濡れてしまっても安心の防水仕様(「JIS防水保護等級7(IPX7)」に準拠)
- 最大6.5MB/secの高速転送を実現 CPRM技術を採用した著作権保護機能を搭載



2GBのスタンダードモデル 防水仕様 microSDメモリカード

MF-MRSD02GW オープン価格



● 500万画素カメラで撮影した場合の写真データは約928枚、 音楽データは約340曲、ワンセグ放送なら約10時間分を保存可能※

- SDメモリカード用の変換アダプタが付属
- ●microSDメモリカード本体と変換アダプタが収納できる 専用ハードケースが付属

※保存できる枚数や曲数は、お使いの機種や環境によって変化します



SDメモリカード用 変換アダプタ付属

[仕様] ■ 規格:microSD ■ 最大転送速度:6.5MB/sec ■ W15.0×D1.0×H11.0mm

■ 質量:約0.4g ■ 付属品:SD変換アダプタ、ハードケース

CLASS(4)



大容量の4GBモデル

防水仕様 microSDHCメモリカード

MF-MRSDH04GC4W オープン価格

^{発売} 発売中



- 読み書き時の最低速度を保証するSDスピードクラスの 「class4」に対応し、読み書き時の最低保証速度は4MB/sを実現
- 500万画素カメラで撮影した場合の写真データは約1856枚、 音楽データは約680曲、ワンセグ放送なら約20時間分を保存可能※
- SDHCメモリカード用の変換アダプタが付属
- microSDHCメモリカード本体と変換アダプタが収納できる 専用ハードケースが付属

※保存できる枚数や曲数は、お使いの機種や環境によって変化します



SDHCメモリカード用 変換アダプタ付属

microSDHCメモリカードは、 microSDHCメモリカードに対応した機器、 またはSDHCメモリカ -ドに対応した機器(変換アダプタ使用時)でのみ使用できます。従来のmicroSDメモリカード、 SDメモリカードにしか対応しない機器では使用できません。

[仕様] ■ 規格:SDHC (SD Ver2.0)/class4対応 ■ 最大転送速度:6.5MB/sec

- 最低保証速度:4MB/sec (SDスピードクラス4) W15.0×D1.0×H11.0mm
- 質量:約0.4g 付属品:SDHC変換アダプタ、 ハードケース

携帯電話の高画素カメラで撮影した写真画像や、音楽デー

- CPRM技術を採用した著作権保護機能を搭載
- SDHCメモリカード用の変換アダプタが付属
- ●microSDHCカード本体と変換アダプタが収納できる専用ハードケースが付属

[共通仕様] ■ W15.0×D11.0×H1.0mm ■ 質量:約0.4g ■ 付属品SDHC変換アダプタ、 ハードケース

microSDHCメモリカードは、 microSDHCメモリカードに対 応した機器 またはSDHCメモリカードに対応した機器 (変換ア ダプタ使用時) でのみ使用できます。従来のmicroSDメモリカ ード、SDメモリカードにしか対応しない機器では使用できません。

SDスピー ドクラス「class6」対応のmicroSDHCメモリカー ド!



class6対応 microSDHCメモリカード

MF-MRSDH04GC6

オープン価格

^{発売}発売中



- 「class6」に対応し、読み書き時の最低保証速度は6MB/sを実現 ● 500万画素カメラで撮影した場合の写真データは約1856枚、 音楽データは約680曲、ワンセグ放送なら 約20時間分を保存可能※

● 読み書き時の最低速度を保証するSDスピードクラスの

● 最大20MB/secの高速転送を実現

※保存できる枚数や曲数は、お使いの機種や環境によって変化します



SDHCメモリカード用 変換アダプタ付属

「仕様」 ■ 規格 SDHC (SD Ver 2.0) /class6対応 ■ 最大転送速度: 20MB/sec

■ 最低保証速度:6MB/sec (SDスピードクラス6)

microSDHCメモリカー ドに大容量8GB、class4対応モデル登場。



class4対応 microSDHCメモリカード

MF-MRSDH08GC4

オープン価格

^発定帝 **発売中**



- 読み書き時の最低速度を保証するSDスピードクラスの 「class4」に対応し、読み書き時の最低保証速度は4MB/sを実現
- 500万画素カメラで撮影した場合の写真データは約3712枚、 音楽データは約1360曲、ワンセグ放送なら 約40時間分を保存可能※

● 最大6.5MB/secの高速転送を実現

※保存できる枚数や曲数は、お使いの機種や環境によって変化します



SDHCメモリカード用 変換アダプタ付属

[仕様] ■ 規格:SDHC (SD Ver2.0)/class4対応 ■ 最大転送速度 6.5MB/sec

■ 最低保証速度:4MB/sec (SDスピードクラス4)



ELECOM NEW PRODUCT in SEP




2008 NO.133 -04

2 types of new web camera - High resolution 2.0 mega pixels and basic 300 kilo pixels

Marvelous high resolution ! 2.0 mega pixels web camera delivers beautiful images into details. Just connecting to USB port. No need to install a driver.





UCAM-DLJ200H series&¥9,975\®

Now on sale













- Has a mervelous high resolution "2.0 mega pixels 1/4 inch CMOS sensor"
- Supports "UVC (USB Video class)" as USB 2.0 standard No need to install a driver
- Easy to use, all you need is connecting USB connecter to your PC
- Can be used for Yahoo! Messenger, Windows Live Messenger and Skype etc with preferable softwares or applications
- Can be used for Mac OS X (10.4.9 10.4.11, 10. 5- 10.5.3) and PLAYSTATION 3 without drivers
- Coming with a earphone/microphone unit to enjoy video chat
- Suitable for both LCD displays and laptops Can be set even on the flat place with a multi stand
- Still shutter function to take a picture **
- · Coming with a manual in multi language (English, Chinese [traditional simple], Korean, Spanish, Portuguese)
- ** Can work only with Windows XP

■ System requirements

Number of colors

Max. electricity

Interface

Cable length

Cable length

	CPU :Intel Pentium4(1.4GHz-up/AMD Sempron-up)	
Windows	OS :Windows Vista (incl.SP1)/XP(SP2~SP3)	
WINGOWS	HDD :260MB or more	
	DirectX:9.Oc-up	
Macintosh	CPU :Power PC G5-up/for Intel Mac	
Macilitosii	OS :Mac OS X (10.4.9~10.4.11,10.5~10.5.3)	
PlayStation3 System Software : Ver. 2. 35		
■ Web camera		
Pixel count	2.0 mega pixels	
Photoreceptor	1/4 inch CMOS sensor	
Max. resolution	1600 X 1200 pixels	
Max. frame rate	30fps (when 640X480 pixels), 20fps (when 800X600 pixels),	
iviax. irame rate	9fps (when 1280X960 pixels), 5fps (when 1600X1200 pixels)	

Waiting: 0.025W

USB2. 0

16.77 million (24 bit)

56mm

(Type A male)

Working: 0.5W

ivia	k. clip allowance	IIIIIOC		
Dimensions		W78. 0 × D43. 5 × H31. 5mm (excluding stand)		
	■ Earphone		■ Microphone	
	Type	Over-ear (single side)	Type	Electret conde
Diam	eter of diaphram	15mm	Directivity	Omnidired
	Diaphram type	Dynamic type (monoral)	Input sensitivity	-54dB±
	Max. input	5mW	Frequency band	20~20,
	Impedance	32Ω	Plug type	3.5φ miniplu
	Frequency band	20~20, 000Hz	Arm length	45mm
	Plug type	3.5φ miniplug (stereo)		•

W47. 3 × D27. 5 × H127. 0mm

Type	Electret condenser mic
Directivity	Omnidirectional
Input sensitivity	-54dB±3dB
Frequency band	20~20, 000Hz
Plug type	3.5 ϕ miniplug (stereo)
Arm length	45mm



You can use the camera just by connecting USB connecter

CPU :Intel Pentium3(800MHz-up)

300

300 kilo pixels web camera with earphone/microphone unit Has basic functions for video chat



300 kilo pixels basic web camera

UCAM-K30H series ≈¥3,150₺

Now on sale

**¥3,000











- Has a 300 kilo pixels 1/6 inch CMOS sensor
- Earphone/microphone unit with a clip to set at your preferable point
- Adjustable focus
- Camera is mounted on a ball joint to be set in any direction or angle
- Effect menu to arrange video phone or pictures enjoyable
- Coming with earphone/microphone unit to enjoy video chat
- Suitable for both LCD displays and laptops Can be set even on the flat place with a multi stand
- Still shutter function to take a picture
- · Coming with a manual in multi language (English, Chinese [traditional simple], Korean, Spanish, Portuguese)

■ System requirements

		OS :Windows Vista (incl.SP1)/XP(SP2~SP3)
	Windows	HDD :200MB or more
		Graphic memory :128MB or more
		DirectX:9.0c -up
	Macintosh	_
	PlayStation3	_
	Web camera	
	Pixel count	300 kilo pixels
	Photoreceptor	1/6 inch CMOS sensor
		Max. resolution of the hardware : 640 X 480 pixels
	Max. resolution	Max. resolution expanded by the driver : 1600 X 1200 pixels (dynamic image)
		3648 X 2736 pixels (static image)
	Max. frame rate	30fps (when~640X480 pixels) ,30fps (when ~1280X960 pixels) ,15fps (when ~1600X1200 pixels)
Ν	lumber of colors	16.77 million (24 bit)
	Max. electricity	Waiting: 0.08W Working: 0.4W
	Interface	USB1. 1 or 2. 0 (Type A male)
	Cable length	1. 5m
lax	c. clip allowance	80mm
ľ	Dimensions	W59. 5 × D54. 0 × H55. 0mm (including stand)

■ Earphone	
Туре	Inner-ear (single side)
Diameter of diaphram	14.6mm
Diaphram type	Dynamic type (monoral)
Max. input	5mW
Impedance	32Ω
Frequency band	20~20, 000Hz
Plug type	3.5 ϕ miniplug (stereo)
Cable length	1.5m
Dimensions	W37. 0 × D16. 0 × H170. 0mm

Microphone	
Type	Electret condenser mic
Directivity	Omnidirectional
Input sensitivity	−38dB±4dB
Frequency band	20~16, 000Hz
Plug type	3.5 ϕ miniplug (stereo)





ELECOM NEW PRODUCT in SEP

2008 NO.133 -05

(T



^{発売}発売中

マルチメディアスピーカ MS-130 series &\(\pm\)4.410\(\exists\)

OT FOR SALE



MS-130BK



MS-130SV



- 重量感と安定感のある木製キャビネットが、低域から高域までの豊かな音色を再現
- ●スピーカユニットとの共振が少なく安定したサウンドが楽しめる
- 木製キャビネットの持ち味を生かした、優れた音質を再現できるドライバユニットを採用
- 量感のある低音を創り出すバックバスレフポートを採用
- 本体前面にヘッドフォンジャックを装備し、周囲への音が気になる場合は ヘッドフォンでの使用が可能
- 本体前面のマイクジャックにマイクを接続すれば、チャットを楽しむことが可能
- 外部入力ジャックにiPodなどのオーディオプレーヤーを接続し、スピーカからの再生が可能
- すぐに最適な音量に調整できるよう、本体前面にボリュームコントロールを装備
- ディスプレイモニタの左右に設置しても、安心してお使いいただける防磁タイプ

from ultra shock absorption "ZEROSHOCK"



- エンクロージャ形式: バスレフ式 エンクロージャ材質: MDF
- スピーカユニットサイズ:直径53m
- スピーカユニットインピーダンス:4Ω
- 実用最大出力(歪率10%):6W(3W+3W)■ THD:10% ※最大出力時■ 再生周波数帯域:20Hz~20,000Hz
- 入力端子:AUX (φ3.5mmステレオミニプラグ)
 電源 付属ACアダプタ 定格電圧:DC12V/AC100V
- W80×D110×H130mm※突起部含まず
- 重量 1.15kg ※付属品含まず 付属品:スピーカ接続ケーブル (1.6m)

外部入力ケーブル(マイクケーブル/1.7m、 ACアダプターケーブル/1.8m 付属外部入力ケーブル/0.5m)

ZEROSHOCK ///

Release Beg/Sep

Wavy low-resilience polyurethane provides excellent shock absorption Material of inside is velvet to protect the contents

Inner bags for UMPC (8.9/7.0 inches W) come up

前面にヘッドフォン

Material of surface is water-resistant polyurethane

0 inches wide PC size

- Has a pocket to store LAN cards or data medias on the front side
 - Material : Surface / PU Core/ low-resilience polyurethane



"ZEROSHOCK" Inner bag for UMPC

ZSB-IB019 serie&¥1,995\\\\2003

盘4 ¥1.900



ZSB-IB019WH < White >





■ Weight: 210g

<Black >



< Orange>

■ External dimentions : W285 × D25 × H210mm ■ Strage space dimentions : W275 × D40 × H200mm

ZSB-IB019DR

<Black >





for UMPC

ZSB-IB020 serie&¥1,995\\\ 2000 \$\) 盘4 ¥1.900



"ZEROSHOCK" Inner bag



< White >



- External dimentions: W265 × D25 × H200mm Strage space dimentions: W255 × D40 × H190mm

■ Weight: 180g

-ドコートでキズや汚れに強い、SHARP "Brain" シリーズ用液晶保護フィルム。



電子辞書 液晶保護フィルム

DJP-TP010 ¥1, 155

盘 ¥1.100

- すぐれた透過性で暗くならずクリアな画面
- メインパネル用はAR加工によって反射光を低減し、 ハードコート層が画面をキズや汚れから守ります
- 手書きパネル用はハードコート層がタッチペン入力によるキズや汚れから守ります
- 接着剤・テープ不要で貼り直しが可能なシリコン膜吸着タイプ
- ジャストサイズでカットが不要

「仕様] ■ メインパネル用: W109.0×H74.0mm [5.0型]

- 手書きパネル用:W42.0×H31.0mm
 - 材質:PET (接合面:シリコン膜)

対応機種 SHARP Brain (PW-AC880/PW-AC830



FLECOM NEW PRODUCT in SEP

ELECOM

2008 NO.133 -06

簡単きれいにオリジナルラベルが作れる便利なキット、 「ラベルマイティ セレクト2 for ELECOM」 最新版がついてバージョンアップ。

3ステップでカンタンにキレイなラベルが作れます!





色々使える豊富なデザイン 第560点 ワンポイントイラスト 約160点 背景/枠飾りデザイン 約3200点 和文/欧文フォント 計77書体

CD/DVDラベル作成キット

CD/DVDラベルを簡単きれいに作成・印刷できます。






^発 売 9 月上旬

EDT-DVDKT3 ¥1, 995 ^{杰体}¥1. 900







- インクジェットプリンタ対応
- 写真画像の印刷に最適なフォト光沢ラベル5枚入り
- イラストや文字をきれいに仕上げるスーパーファインラベル5枚入り
- ●ラベルは剥がれにくい強粘着タイプ
- CD-R用ラベルとしても使用可能
- テストプリント用紙付き

※「ラベルマイティ セレクト2 for ELECOM」はDVDラベル以外に名刺やなまえラベルも作成可能

[仕様] ■ 用紙サイズ:W148×H148mm

■ 入数:10シート(5シート×2種)



贈り付けるD T D ラベラー付き



EDT-DVDKT4 ¥3. 150 ***¥3,000 ^{発 売} 9月上旬



ラベルセット内容 -











いろいろな種類のラベル作成ができるソフトとなまえラベル6種類をセット。





^{発 売 9}月上旬

EDT-NMK1T3 ¥1, 995®

**¥1.900





- ジャストシステムの人気ラベル作成ソフト「ラベルマイティ セレクト2 for ELECOM」と フォト光沢ラベル6種のセット
- インクジェットプリンタ対応
- ●写真画像の印刷に最適なフォト光沢ラベル
- テストプリント用紙各種1枚付き

※「ラベルマイティセレクト2 for ELECOM」 はなまえラベル以外に名刺やDVDラベルも作成可能

[仕様] ■ 用紙:フォト光沢紙 ■ 坪量:174g/m ■ 紙厚:0.192mm

なまえラベル6種類(ハガキサイズ) 各1枚付



ベン用・大 (EDT-KNM6)









なっとく名刺キット 初めてでも簡単にオリジナル名刺が作れるソフト付き。





MT-MNKIT2

¥1, 995


^{発 売 9}月上旬



- マルチプリント紙(厚口)、スーパーファイン紙(特厚口・厚口)、 超光沢紙(厚口)の4種類の用紙をセット
- インクジェットプリンタ対応
- ▼ マルチプリント紙は、インクジェットプリンタ、 レーザープリンタ、コピー機にも対応
- ミシン目が残らず仕上がりがきれいなマイクロミシンカット仕様
- 用紙を色々試せるアソートパック
- テストプリント用紙3枚付き
- ※「ラベルマイティセレケ2 for ELECOM」は名刺以外に DVDラベルやなまえラベルも作成可能

[仕様] ■ 用紙サイズ: A4 (W210×H297mm)

■ 入数:6シート





マルチプリント紙[厚口]
MT-JMN2WN
2 シート (20枚分)
坪量210g/m ² 紙厚0.23mm

スーパーファイン紙[厚口]	スーパーファイン紙[特厚口]
MT-HMN2WN	MT-HMN3WN
2 シート (20枚分)	1 シート(10枚分)
坪量210g/m ² 紙厚0. 2mm	坪量240g/m 2 紙厚O. 8mm

超光沢紙[厚口]	
MT-KMN2WN	
1 シート (10枚分)	
坪量200g/m ² 紙厚0. 25mm	









2008 AVD. 09 -01

Custom size for perfect fit. iPhone 3G case series give you choice.

Starting set of 6 kinds of accessories



Starting set for iPhone 3G

MPA-SSTAPH series ♠¥2,940₺

Now on sale

盘接¥2.800

LCD protection film

Silicone case

• Self-adhesive silicone membrane / glue free

■ Case size: W64.2×D14.3×H116.9mm

• Can stick repeatedly by water washing • Just display size, no need to cut

You can control your iPhone and connect it to Dock connecter over the case

• Fits perfectly to your iPhone to protect it from scratches and dust

- W55. 0×H109. 0mm
 - Material : PET (Composition surface : Silicone)

■ Material : Silicone

■ Material : Polyester

Dock connecter cover

- Protect Dock connecter from dust
 - W26.0×D6.0×H6.2mm Material : Silicone

Antistatic finished to avoid dust
 Has a strap hole

Neck strap

■ W8. 0 × D0. 85 × H400. 0mm

Hand strap

■ W8. 0 × D0. 85 × H170. 0mm ■ Material : Polyester

Mobile cleaner

- Wirh an elastic strap to reach from the strap hall
 - W23.0×D7.7×H42.0mm ■ Material : Polyester (Cleaner surface)





< Clear >

A set of silicone case and LCD protection film

MPA-SSTAPHBK

< Black >



Silicone case for iPhone 3G

MPA-SCAPH series &¥1,890₺

Now on sale

無禁¥1.800

Silicone case

- Fits perfectly to your iPhone to protect it from scratches and dust
- You can control your iPhone and connect it to Dock connecter over the case
- Antistatic finished to avoid dust
- Has a strap hole (* Not coming with a strap)

LCD protection film

- Self-adhesive silicone membrane / glue free
- Can stick repeatedly by water washing
- Just display size, no need to cut







- Case size: W64.2 × D14.3 × H116.9mm LCD protection film: W55.0 × H109.0mm
- Material : Case / Silicone, LCD protection film/ PET (Composition surface: Silicone)
- Accessory : LCD protection film

A set of silicone case with cable reel and LCD protection film



Silicone case with cable reel for iPhone 3G

MPA-SCRAPH series _♠¥3, 150 ♣

Now on sale

盘4¥3.000

Head cable can be reeled, ear pads and a plug can be held at the back side



MPA-SCRAPHBK < Black >





Silicone case

- Fits perfectly to your iPhone to protect it from scratches and dust
- Cable length is adjustable while using
- You can control your iPhone and connect it to Dock connecter over the case
- Antistatic finished to avoid dust
- Has a strap hole (* Not coming with a strap)

LCD protection film

- Self-adhesive silicone membrane / glue free
- Can stick repeatedly by water washing
- Just display size, no need to cut
 - Case size :W64.2×D22.0×H116.9mm

 - LCD protection film : ₩55.0×H109.0mm Material : Case / Silicone, LCD protection film/ PET (Composition surface: Silicone)
 - Accessory : LCD protection film







2008 AVD. 09 -02

The flap is removable

Custom size for perfect fit. iPhone 3G case series give you choice

A set of soft leather case and LCD protection film



Soft leather case for iPhone 3G

MPA-LCAPH series ♠¥3, 780₺

Now on sale

 Coming with a hand strap convinient for bringing Soft leather case

- Fine quality soft leather (systhetic leather)
- A flap with a pocket to store iTune music cards
- Protects the front by closing the flap while not using



- Self-adhesive silicone membrane / glue free
- Can stick repeatedly by water washing
- Just display size, no need to cut
 - Case size :W70.0×D31.0×H139.0mm
 - LCD protection film : W55. 0×H109. 0mm Hand strap : W9. 0×D0. 6×H170. 0mm

 - Material : Case / Systhetic leather (PU)
 - LCD protection film/ PET (Composition surface: Silicone) Hand strap/ Nylon
 - Accessories : LCD protection film , Hand strap









盘4¥3.600

Full size LCD protection film to protect the front from scratches and dust



- Hard type film to protect from scratches and dust
- Adaptable for touch-screen input
- AR finished to reduce the reflection of light
- Self-adhesive silicone membrane / glue free
- Can stick repeatedly by water washing
- Just display size, no need to cut
 - W55.0×H109.0mm
 - Material : PET (Composition surface: Silicone)